

CASE LOG TOTALS

[Go To Main Menu](#)

| OPTIONAL FILTERS | | |
|------------------|---------------------------------------|---|
| Date Range: From | <input type="text" value="7/1/2019"/> | To <input type="text"/> Clear Filters |
| Period: | --All-- | |
| Rotation: | --All-- | |
| Clinical Site: | --All-- | |
| Preceptor: | --All-- | |
| Item Filter #1: | --None-- | |
| Item Filter #2: | --None-- | |

Click for a list of cases where that category was marked.

Total Cases Entered: 105
Total Unique Patients: 105
Total Days with Cases: 20
Total Patient Hours: 60.1 (+ 0.0 Total Consult Hours = ~60.1 Hours)
Average Case Load per Case Day: 5
Average Time Spent with Patients: 34 minutes
Rural Visits: 0 patients
Underserved Area/Population: 0 patients
Surgical Management: Complete: 0 patients
 – Pre-op: 0 patients
 – Intra-op: 0 patients
 – Post-op: 0 patients
 Operating Room experiences: 0 patients
Group Encounters: 0 sessions

CLINICAL SETTING TYPES


Outpatient: 63
Emergency Room/Dept: 42
Inpatient: 0
Long-Term Care: 0
Other: 0




CLINICAL EXPERIENCES

(based on rotation choices)

Prenatal/Women's Health: 105




| <u>AGE</u> | <u>Ct</u> | <u>Hrs</u> |
|------------|-----------|------------|
| <2 yrs: | 0 | 0.0 |
| 2-4 yrs: | 0 | 0.0 |
| 5-11 yrs: | 0 | 0.0 |
| 12-17 yrs: | 0 | 0.0 |
| 18-49 yrs: | 100 | 57.1 |
| 50-64 yrs: | 4 | 2.3 |
| >=65 yrs: | 1 | 0.7 |
| Unmarked: | 0 | 0.0 |




| <u>Geriatric Breakdown</u> | <u>Ct</u> | <u>Hrs</u> |
|----------------------------|-----------|------------|
| 65-74 yrs: | 1 | 0.7 |
| 75-84 yrs: | 0 | 0.0 |
| 85-89 yrs: | 0 | 0.0 |
| >=90 yrs: | 0 | 0.0 |

| <u>RACE</u> | <u>Ct</u> |
|-----------------------|-----------|
| White Non-Hispanic: | 6 |
| Black: | 56 |
| Hispanic: | 28 |
| Asian: | 0 |
| Amer Indian/Alaskan: | 0 |
| Hawaiian/Pacific Isl: | 0 |
| Other Race: | 15 |
| Unmarked: | 0 |



| <u>GENDER</u> | <u>Ct</u> |
|---------------|-----------|
| Male: | 0 |
| Female: | 105 |
| Transgender: | 0 |
| Unmarked: | 0 |



| <u>INSURANCE</u> | <u>Ct</u> |
|------------------|-----------|
| None: | 0 |
| HMO: | 0 |
| PPO: | 0 |
| Private: | 0 |
| Medicaid: | 0 |
| Medicaid/HMO: | 0 |
| Medicaid/PPO: | 0 |
| Medicare: | 0 |
| Medicare/HMO: | 0 |
| Medicare/PPO: | 0 |
| Dual Eligible: | 0 |
| Work Comp: | 0 |
| Other: | 0 |
| Unmarked: | 105 |




| <u>REFERRALS</u> | <u>Ct</u> |
|------------------|-----------|
| None: | 0 |
| Allied Health: | 0 |
| Cert Nurse Spec: | 0 |
| Comm Services: | 0 |
| Mental Health: | 0 |
| Nurse Pract: | 0 |
| Nutritionist: | 0 |
| Occupat Ther: | 0 |
| Physical Ther: | 0 |
| Physician: | 0 |
| Physician Asst: | 0 |
| Other: | 0 |
| Unmarked: | 105 |




TYPE OF DECISION-MAKING

| | | |
|-------------------|-----|---|
| Straight forward: | 0 | 👤 |
| Low Complex: | 0 | 👤 |
| Moderate Complex: | 105 | 👤 |
| High Complex: | 0 | 👤 |
| Unmarked: | 0 | 👤 |




STUDENT PARTICIPATION

| | | |
|-------------------|-----|---|
| Observ. Only: | 0 | 👤 |
| Less than shared: | 0 | 👤 |
| Shared: | 104 | 👤 |
| Primary (>50%): | 1 | 👤 |
| Unmarked: | 0 | 👤 |




REASON FOR VISIT

| | | |
|-----------------------------|----|---|
| Annual/Well-Person Exam: | 0 | 👤 |
| Employment Physical: | 0 | 👤 |
| Episodic: | 0 | 👤 |
| ER/ED Visit: | 41 | 👤 |
| Follow-up (Consult): | 0 | 👤 |
| Follow-up (Hospital Visit): | 0 | 👤 |
| Follow-up (Routine): | 1 | 👤 |
| Initial Visit: | 0 | 👤 |
| Long Term Care: | 0 | 👤 |
| New Admit: | 0 | 👤 |
| New Consult: | 0 | 👤 |
| Nursing Home Visit: | 0 | 👤 |
| Pt/Fam.Ed./Counseling: | 0 | 👤 |
| Scheduled Procedure: | 0 | 👤 |
| Screening/Health Promo: | 0 | 👤 |
| Sports Physical: | 0 | 👤 |
| Other: | 63 | 👤 |
| Unmarked: | 0 | 👤 |




ENCOUNTER #

| | | |
|-----------|-----|---|
| 1: | 0 | 👤 |
| 2-5: | 0 | 👤 |
| 6-10: | 0 | 👤 |
| >10: | 0 | 👤 |
| Unmarked: | 105 | 👤 |



TYPE OF H & P

| | | |
|-------------------------|----|---|
| Problem Focused: | 5 | 👤 |
| Expanded Prob. Focused: | 70 | 👤 |
| Detailed: | 30 | 👤 |
| Comprehensive: | 0 | 👤 |
| Unmarked: | 0 | 👤 |



SOC. PROBLEMS ADDRESSED

| | | | |
|--------------------------|---|--|-------------------------|
| Abused Child/Adult: | 0 | | Abused Child/Adult |
| Caretaking/Parenting: | 0 | | Caretaking/Parenting |
| Education/Language: | 0 | | Education/Language |
| Emotional: | 0 | | Emotional |
| Grief: | 0 | | Grief |
| Growth/Development: | 0 | | Growth/Development |
| Housing/Residence: | 0 | | Housing/Residence |
| Income/Economic: | 0 | | Income/Economic |
| Interpersonal Relations: | 0 | | Interpersonal Relations |
| Issues w/Community Help: | 0 | | Issues w/Community Help |
| Legal: | 0 | | Legal |
| Neglected Child/Adult: | 0 | | Neglected Child/Adult |
| Nutrition/Exercise: | 0 | | Nutrition/Exercise |
| Palliative/End of Life: | 0 | | Palliative/End of Life |
| Prevention: | 0 | | Prevention |
| Role Change: | 0 | | Role Change |
| Safety: | 0 | | Safety |
| Sanitation/Hygiene: | 0 | | Sanitation/Hygiene |
| Sexuality: | 0 | | Sexuality |
| Social Isolation: | 0 | | Social Isolation |
| Spiritual Issues: | 0 | | Spiritual Issues |
| Substance Abuse: | 0 | | Substance Abuse |
| Other: | 0 | | Other |

PROCEDURES/SKILLS

The minimum requirements are optionally entered by the administrator. Items with minimums will appear in **red** if the minimum has not been met, and will turn to **blue** once the minimum has been met. Critical items in **bold**.

General Competencies

| OBSERVED | ASSISTED | DONE | MIN. REQUIRED | DESCRIPTION |
|----------|----------|------|---------------|--|
| 0 | 0 | 0 | | Arterial blood gas |
| 0 | 3 | 0 | | Cesarean delivery |
| 0 | 0 | 0 | | Code |
| 0 | 0 | 0 | | Complete breast exam |
| 0 | 0 | 3 | | Culture obtained (blood, throat, wound, vaginal) |
| 0 | 0 | 0 | | Injections (IM, ID, SQ) |
| 0 | 0 | 1 | | IV Starts |
| 0 | 0 | 0 | | Nasogastric incubation |
| 0 | 0 | 4 | | Pelvic Exam |
| 0 | 0 | 0 | | Rectal exam |
| 0 | 0 | 0 | | Surgery |
| 0 | 0 | 0 | | Suture |
| 0 | 8 | 0 | | Vaginal delivery |
| 0 | 0 | 0 | | Venipuncture |
| 0 | 0 | 0 | | Wound care |

Verified procedures

| OBSERVED | ASSISTED | DONE | MIN. REQUIRED | DESCRIPTION |
|----------|----------|------|---------------|--|
| 0 | 0 | 0 | | Elective - |
| 0 | 0 | 0 | | Elective - |
| 0 | 0 | 0 | | Elective - |
| 0 | 0 | 0 | | Elective - |
| 0 | 0 | 0 | | Elective - |
| 0 | 0 | 0 | | Elective - |
| 0 | 0 | 0 | | Elective - Central line placement |
| 0 | 0 | 0 | | Elective - Chest Tube placement |
| 0 | 0 | 0 | | Elective - Endotracheal intubation |
| 0 | 0 | 0 | | Elective - Fracture of Dislocation reduction |
| 0 | 0 | 0 | | Elective - Perform Gastric Lavage |
| 0 | 0 | 0 | | Elective - Performing and I&D of an abscess |
| 0 | 0 | 0 | | Elective - Performing Cardioversion |
| 0 | 0 | 0 | | Elective - Slit Lamp exam |
| 0 | 0 | 0 | | Elective - Treat a subungual hematoma |
| 0 | 0 | 0 | | Instillation of a local anesthesia/digital block |
| 0 | 0 | 0 | | Obtain an ABG Sample |

| | | | |
|---|---|---|--|
| 0 | 0 | 0 | Obtaining a blood culture |
| 0 | 0 | 3 | Obtaining a PAP smear |
| 0 | 0 | 0 | Obtaining a rectal fecal Occult blood sample |
| 0 | 0 | 0 | Obtaining a Throat Culture specimen |
| 0 | 0 | 0 | Performing Injections - Intradermal |
| 0 | 0 | 0 | Performing Injections - Intramuscular |
| 0 | 0 | 0 | Performing Injections - Subcutaneous |
| 0 | 0 | 0 | Performing (not interpreting) an EKG |
| 0 | 0 | 4 | Performing a pelvic exam |
| 0 | 0 | 0 | Performing an eye exam |
| 0 | 0 | 0 | Performing CPR |
| 0 | 0 | 0 | Performing skin closure - Stapling |
| 0 | 0 | 0 | Performing skin closure - Suturing |
| 0 | 0 | 0 | Performing Venipuncture |
| 0 | 0 | 0 | Placing a Nasogastric Tube |
| 0 | 0 | 0 | Splinting |
| 0 | 0 | 0 | Urinary catheterization - Female |
| 0 | 0 | 0 | Urinary catheterization - Male |

TOP 25 ICD-10 DIAGNOSIS CATEGORIES ([View All Categories](#)) ([View All Full Codes](#))

| TOTAL | DESCRIPTION [Click category for detail] |
|-------|---|
| 7 | O14 - PRE-ECLAMPSIA |
| 7 | O21 - EXCESSIVE VOMITING IN PREGNANCY |
| 6 | O00 - ECTOPIC PREGNANCY |
| 4 | D25 - LEIOMYOMA OF UTERUS |
| 4 | Z39 - ENCOUNTER FOR MATERNAL POSTPARTUM CARE AND EXAMINATION |
| 3 | N39 - OTHER DISORDERS OF URINARY SYSTEM |
| 3 | N92 - EXCESSIVE, FREQUENT AND IRREGULAR MENSTRUATION |
| 3 | O13 - GESTATIONAL HYPERTENSION WITHOUT SIGNIFICANT PROTEINURIA |
| 3 | R10 - ABDOMINAL AND PELVIC PAIN |
| 3 | Z11 - ENCOUNTER FOR SCREENING FOR INFEC/PARASTC DISEASES |
| 3 | Z30 - ENCOUNTER FOR CONTRACEPTIVE MANAGEMENT |
| 3 | Z34 - ENCOUNTER FOR SUPERVISION OF NORMAL PREGNANCY |
| 3 | Z37 - OUTCOME OF DELIVERY |
| 3 | Z64 - PROBLEMS RELATED TO CERTAIN PSYCHOSOCIAL CIRCUMSTANCES |
| 2 | A56 - OTHER SEXUALLY TRANSMITTED CHLAMYDIAL DISEASES |
| 2 | A59 - TRICHOMONIASIS |
| 2 | B37 - CANDIDIASIS |
| 2 | N73 - OTHER FEMALE PELVIC INFLAMMATORY DISEASES |
| 2 | N83 - NONINFLAMMATORY DISORD OF OVARY, FALLOP AND BROAD LIGAMENT |
| 2 | N97 - FEMALE INFERTILITY |
| 2 | O03 - SPONTANEOUS ABORTION |
| 2 | O20 - HEMORRHAGE IN EARLY PREGNANCY |
| 2 | O42 - PREMATURE RUPTURE OF MEMBRANES |
| 2 | O70 - PERINEAL LACERATION DURING DELIVERY |
| 2 | O91 - INFECT OF BREAST ASSOC W PREGNANCY, THE PUERP AND LACTATION |

TOP 25 CPT BILLING CODES ([View All](#))















| TOTAL | DESCRIPTION |
|-------|--|
| 37 | 99284 - EMERGENCY DEPT VISIT, 3 KEY COMPONENTS: DETAILED HX; DETAILED EXAM; MED DECISION MOD COMPLEXITY |
| 21 | 59400 - ROUTINE OBSTETRIC CARE, ANTEPARTUM CARE, VAGINAL DELIVERY, & POSTPARTUM CARE |
| 21 | 99204 - OFFICE/OP VISIT, NEW PT, 3 KEY COMPONENTS:COMPREHENSIVE HX;COMPREHENSIVE EXAM;MED DECISN MOD COMPLEX |
| 9 | 99384 - INITIAL COMPREHENSIVE PREVENTIVE MEDICINE E&M W/HX/EXAM, NEW PT; 12-17 YR |
| 8 | 99385 - INITIAL COMPREHENSIVE PREVENTIVE MEDICINE E&M W/HX/EXAM, NEW PT; 18-39 YR |
| 4 | 59430 - POSTPARTUM CARE ONLY (SEP PROC) |
| 3 | 99283 - EMERGENCY DEPT VISIT,3 KEY COMPONENTS:EXPAND PROB FOCUS HX;EXPAND PROB FOCUS EXAM;MED DEC MOD COMPLX |
| 1 | 58301 - REMOVAL, INTRAUTERINE DEVICE |
| 1 | 59425 - ANTEPARTUM CARE ONLY; 4 TO 6 VISITS |

PRESCRIPTIONS WRITTEN BY CATEGORY [Click category for detail]

TOTAL CATEGORY

| | | |
|---|---|-----------------------|
| 0 | Analgesic & Antipyretic | Analgesic/Antipyretic |
| 0 | Cardiology | Cardiology |
| 0 | Dermatology | Dermatology |
| 0 | Endocrinology | Endocrinology |
| 0 | ENT | ENT |
| 0 | GI Agents | GI Agents |
| 0 | Gynecology | Gynecology |
| 0 | Hematology/Oncology | Hematology/Oncology |
| 0 | Infectious Diseases | Infectious Diseases |
| 0 | Neurology | Neurology |
| 0 | Ophthalmology | Ophthalmology |
| 0 | Psychiatric | Psychiatric |
| 0 | Pulmonary | Pulmonary |
| 0 | Rheumatology | Rheumatology |
| 0 | Urology | Urology |
| 0 | Vaccines | Vaccines |
| 0 | Wound Management | Wound Mgmt |
| 0 | Miscellaneous | Misc |

MEDICATION ADHERENCE

| | | |
|--|---|--|
| Caretaker failure: | 0 |  Caretaker failure |
| Complexity of treatment: | 0 |  Complexity of treatment |
| Denial of need: | 0 |  Denial of need |
| Disappearance of symptoms: | 0 |  Disappearance of symptoms |
| Disbelief in benefits/efficacy: | 0 |  Disbelief in benefits/efficacy |
| Fear of addiction: | 0 |  Fear of addiction |
| Financial concerns: | 0 |  Financial concerns |
| Forgetfulness: | 0 |  Forgetfulness |
| Knowledge deficit: | 0 |  Knowledge deficit |
| Physical disability: | 0 |  Physical disability |
| Pregnancy: | 0 |  Pregnancy |
| Psychiatric diagnosis: | 0 |  Psychiatric diagnosis |
| Religious reasons: | 0 |  Religious reasons |
| Other/side effects: | 0 |  Other/side effects |

Report generated 8/2/2019 9:53:11 AM ET